

Message

---

**From:** Stan Carey [scarey@massapequawater.com]  
**Sent:** 2/5/2015 3:13:05 PM  
**To:** 'Fly, Lora B CIV NAVFAC MIDLANT, IPTNE' [lora.fly@navy.mil]  
**CC:** 'Paul Granger' [pgranger@h2m.com]; 'Brian Caldwell' [bcaldwell@Ensafe.com]; 'Scharf, Steven (DEC)' [steven.scharf@dec.ny.gov]; Garbarini, Doug [Garbarini.Doug@epa.gov]; 'Harrington, Jim (DEC)' [jim.harrington@dec.ny.gov]; 'Wilkie, Henry (DEC)' [henry.wilkie@dec.ny.gov]  
**Subject:** RE: VPB Results  
**Attachments:** report.hw130003a.2014-07-31.NAVFAC Progress & Updated Drilling Schedule July 2014.pdf

Ms. Fly,  
Just a quick review and comparison to the Navy schedules back in July. You advise that drilling begins for VPB-157 this month and VPB-155 in August 2015 yet the schedule indicated that both should have been completed by the end of 2014. Can you please clarify this?

Stan Carey, Superintendent  
Massapequa Water District

-----Original Message-----

**From:** Fly, Lora B CIV NAVFAC MIDLANT, IPTNE [mailto:lora.fly@navy.mil]  
**Sent:** Wednesday, February 04, 2015 12:51 PM  
**To:** Stan Carey  
**Cc:** Paul Granger; Brian Caldwell; Scharf, Steven (DEC); Garbarini, Doug; Harrington, Jim (DEC); Wilkie, Henry (DEC) (henry.wilkie@dec.ny.gov)  
**Subject:** RE: VPB Results

Mr. Carey,  
The Data Summary Report for VPB-144 was issued in September 2014. I will send you the report through the file transfer system - AMRDEC SAFE.  
The Data Summary Reports for VPB-147 and VPB-151 will be issued next week.  
The Data Summary Reports for VPB-149 and VPB-154 will be issued by the end of the month.  
Drilling begins for VPB-157 this month and VPB-155 in August 2015.  
R/  
Lora

-----Original Message-----

**From:** Stan Carey [mailto:scarey@massapequawater.com]  
**Sent:** Wednesday, February 04, 2015 9:20 AM  
**To:** Fly, Lora B CIV NAVFAC MIDLANT, IPTNE  
**Cc:** Paul Granger; Brian Caldwell; Scharf, Steven (DEC); 'Jim Harrington'; Garbarini, Doug; Harrington, Jim (DEC)  
**Subject:** VPB Results

Ms. Fly,

Can you please provide an update on the following VPB sample results? They seem to be overdue.

147, 144, 157, 154, 155, 149.

Thank you.

Stan Carey, Superintendent

Massapequa Water District

Description: New Image5

